CLASSIFICATION

CENTRAL INTELLIGENCE AGENCY INFORMATION FROM FOREIGN DOCUMENTS OR RADIO BROADCASTS REPORT

50X1-HUM

COUNTRY Czechoslovakia

CD NO. DATE OF

**SUBJECT** 

Economic - Power economy

INFORMATION 1950

PUBLISHED Monthly periodical

DATE DIST. 28 Jul 1950

WHERE

PUBLISHED Moscow

NO. OF PAGES

PUBLISHED Feb 1950

SUPPLEMENT TO

LANGUAGE Russian

REPORT NO.

THIS IS UNEVALUATED INFORMATION

SOURCE

Elektrichestvo, No 2, 1950.

### THE POWER ECONOMY OF CZECHOSLOVAKIA

N. I. Romashkin

#### Power Resources and Their Utilization

The main power resources of Czechoslovakia are coal and water powers. Coal is used to obtain power both directly and by preliminary gasification. Black-coal reserves are estimated to be 6.5 billion tons, 6.1 billion of which are in the Ostrava-Karvina Basin.(1) Brown-coal reserves are put at over 12 billion tons, 11.5 billion tons being in the North Bohemian Basin.

The output coal, and also the production of gas from coal, is shown in Table 1. (2, 3)

Table 1

#### Annual Output

٠.	Black Coal (1,000 tons)	Brown Coal (1,000 tons)	Gas ( <u>million cu m</u> )
1929 1935 1936 1937 1945 1946 1948	16,522 10,895 12,233 16,778 11,716 14,168 17,746	22,561 15,114 15,949 17,895 15,356 19,459 23,589	136.3 174.9 232.5 611.5

Very little use has yet been made of water power resources. The total electric power produced by hydro stations in 1946 was 583,700,000 kilowatthours, or 8.75 percent of the total produced in the country. Extensive building of hydroelectric power stations began in 1947. (4) Over 16 hydroelectric power stations are in progress or have already been completed (5).

			CL	٨S	SIFICATION	ON	•	CONFIL	ENTIAL					· · · · · · · · · · · · · · · · · · ·	·	
STATE	X	NAVY		X	NSRB			DISTRI	UTION	 7.3-2	L		L	ļ	H	
ARMY	X	AIR		X	FBI		I			479	L	<u> </u>	<u> </u>	<u></u>	لــا	

CONFIDENT	AI
CONFIDENTIAL	

50X1-HUM

#### Production of Electric Power

Table 2 shows the production of electric power for the country as a whole, according to types of stations and per person for several years. (2,4,6,14)

Table 2

Electric Power Generated	<u> 1937</u>	1946	<u> 1947</u>	1948	1950 (plan)
Total (million kw-h)	4,115	5,622	6,663	7,515	8,880
By general purpose sta- tions (million kw-h)	1,534	2,378	2,753		***
By industrial stations (million kw-h)	2,581	3,244	3,910		
By hydro stations (million kw-h)		584	446		
Per person (kw-h)	285	432	542	616	

During the first 20 years of the Czechoslovak Republic (1918-1938), the power of its electric stations was tripled, and the production of electric power was almost tripled, reaching over 4 billion kilowatt-hours. Six years of German occupation had an adverse effect on the tempo of electric power production. During the past 4 years othe production of electric power and Czechoslovakia has again been increasing at a rapid rate of the has increased by 8215 percents as compared with 1937; and is five times as much as nity 83 in 1918. Thus, the increase in the production of electric power during the past 4 years (about 3.3 billion kilowatt-hours) exceeded the increase in production after 20 years of bourgeois stewardship. The further increase of electric power production provided for in the Five-Year Plan for the Development of the Czechoslovak Republic is also proceeding in accelerated tempo. According to the plan, the 1953 production of electric power will be 11,200,000,000 kilowatt-hours, the increase during the plan being approximately 3.7 billion kilowatt-hours.

On 1 January 1949 the power industry (the production of electric power and gas) included 1,180 enterprises and a labor force of 43,391 persons.(7) The distribution of these enterprises according to ownership is shown below:

	No of Enterprises	Labor Force
State-owned enterprises Cooperative enterprises Total socialist enterprises Private capital enterprises Small privately owned enterprises	1,151 8 1,159 8 <u>13</u>	43,283 62 43,345 33 13
Total	1,180	43,391

On 1 December 1945 there were 1,643 electric power stations in the country, including industrial stations. (8) In 1947 there were 992 electric power stations in operation in the Czech Provinces alone (Bohemia, Moravia, Silesia), 720 of these being industrial stations. (9) Most of these stations are steam operated, working on coal.

- 2 -

CONFIDENTIAL

# CONFIDENTIAL

50X1-HUM

At the beginning of 1946, work was started on plans for enlarging and rebuilding a number of stations -- Stechovice, Ervenice, Oslavany, Kolin, Porici, Trebovice -- and also for building new stations in Slovakia. In 1946 a start was made on enlarging the stations of the Ervenice Power Combine (North Bohemia region), as follows:

Ervenice - Power after enlargement 140,000 kilowatts. (8)

Komorany - 220,000 kilowatts.

This combine will satisfy all the power requirement of the North Bohemia industrial region.

Czechoslovakia has high-voltage interconnecting ties with Poland, Hungary, and Austria and, consequently, can import and export electric power. In 1946, 102 million kilowatt-hours were imported and 3 million kilowatt-hours exported. In 1947 the corresponding figures were 116,600,000 and 2,700,000. (4)

The technical and economic indexes of operation of electric power stations in Czechoslovakia are still not high enough and show that there are considerable reserves. Table 3 shows the technical and economic indexes for all the general purpose steam electric power stations in Czechoslovakia and for the industrial steam electric power stations of the Czech Provinces (arranged according to specific fuel consumption). (10)

Table 3.

Mean Spe Consump	cific Fuel tion	No of	Proportionate Impor- tance of Given Group of Stations as Regards		Utilization	
Cals per Kw-h Gen- erated	Grams of Ideal fuel per Kw-h	Electric	Power	Power Generated (%)	of Rated Power (hr)	Mean Rated Power (kw)
erauca	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	a. G	eneral Purpo	se Stations		
3,304	472	2	8.6	9.01	3,330	30,975
4,527	646	8 .	42.35	44.38	3,610	38,200
5,483	783	6	12.47	10.57	2,700	15,000
6,309	901	10	31.96	33.78	3,355	23,037
7,235	1,033	5	2.89	1.76	1,930	4,176
8,245	1,179	2 .	0.68	0.24	1,150	2,441
10,608	1,516	3	0.21	0.05	732	507
12,600	1,800	1	0.19	0.07	1,200	1,376
13,520	1,932	3	0.23	0.09	1,195	561
14,168	2,024	1	0.08	0.02	675	550
18,190	2,600	7	0.34	0.03	1,830	354

- 3 -

CONFIDENTIAL

CONFIDENT

50X1-HUM

(Table 3 Continued)

Mean Specific Fuel Consumption Proportionate Importance of Given Group of Stations as Regard

Consumption		No of	of Station	of Stations as Regards			
Cals per Kw-h Gen- erated	Grams of Ideal fuel per Kw-h	Electric	Rated Power (%)	Power Generated (%)	of Rated Power (hr)	Mean Rated Power (kw)	
•			Average				
5,199	743	48	100.00	100.00	3,160	15,150	
		b. In	dustrial Sta	tions			
3,590	513	51	22.51	30.32	3,600	5,625	
4,250	607	44	4.43	4.19	2,410	1,300	
5,870	839	56	9.30	4.97	1,370	2,140	
6,120	875	178	51.89	55.84	2,770	3,720	
8,430	1,204	192	10.20	3.57	910	715	
10,580	1,512	63	1.62	0.95	1,470	356	
14,900	2,178	5	0.08	0.16	725	217	
,,,	, .		Average				
5,483	784	589	100.00	100.00	2,580	2,190	

## Power Machine Building and the Electrical Industry

At present, the Czechoslovek electrical engineering industry has 37 combines (people's enterprises, according to the terminology adopted in Czechoslovakia) with a labor force of 51,000 (11): The 14 largest combines include 194 plants. The most important products are shown in Table 4. (3, 6, 12, 13). In addition, in 1947 plants of the electrical engineering industry produced streetcars and trolley buses.

Table 4

	1.937	<u> 1946</u>	<u> 1947</u>	1948	1953 (plan)
Electric motors, 0.5 to 25 kw (thousands)	81.6		222.1	276.2	890
Electric motors, up to 0.5 kw (thousands)			<b></b> ·	171.8	
Radio receivers (thousands)	282.8	104.5	162.8	267.7	300
Telephones (thousands)	32.7	40.3	72.8	84.2	150
Electric lamps (millions)	6.09	8.13	12.46	14.01	~=
Radio tubes (thousands)			1,652.4	2,388.8	

CONFIDENTIAL

CONFIDENTI

50X1-HUM

By the end of 1948, the electrical engineering industry considerably exceeded the prewar production level, as is shown by the data in Table 5 (in percent). (11)

Table 5.

	<u> 1937</u>	<u> 1946</u>	1948
Gross output No of workers	100 100	104 136	240 167
Output per worker	100	76	144

The first Two-Year State Plan for the Restoration and Development of the National Economy for 1947 - 1948 was fulfilled as follows for the most important types of production of the electrical engineering industry (in percent):

Electric motors up to 0.5 kilowatt	95.0
Electric motors from 0.5 to 25 kilowatts	166.0
Radio reco vers	128.1
Telephone equipment	110.2
Electric lamps	92,9
Radio tubes	104.0
Electrical equipment for aircraft and automobiles	105.0

In 1948, 35 percent of all electric motors produced were turned over directly for equipment installation in capital construction; 44 percent went to combines of the metal industry, 15 percent to agriculture, and 6 percent to industrial and trading enterprises.

The tasks confronting the electrical machine building industry in the first Five-Year Plan are causing the emphasis to shift to heavy equipment (turbines, generators, etc.).

Organizationally, electrical machine building in Czechoslovakia is divided into three groups.

Group 1: Capital Equipment (heavy electrical machine building, light electrical, machine building, measuring apparatus, cables and conductors, communications and electrotherapeutic equipment).

Group 2: Mixed Equipment (installation materials and lamps, storage and dry batteries, electrical equipment of aircraft and automobiles).

Group 3: Consumers' Goods (electric lamps, radio tubes, domestic appliances, and radio receivers).

By the end of the first Five-Year Plan, in comparison to 1948, heavy electrical machine building production will have increased 3.25 times, light electrical machine building 1.93 times, communications equipment 3.25 times, cables and conductors 1.6 times, installation materials and lamps 2.38 times, and other branches about 1.56 times. The average for the industry as a whole is 2.05 times.

- 5 -

CONFIDENTIAL

JUNFULNIAL

CONFIDENTIAL

50X1-HUM

The value of production will in 1953 attain 492 percent of the 1937 level. The labor force of the electrical engineering industry will have increased by 253 percent, as compared with 1937. Productivity of labor will have increased by 195 percent as against 1937, and by 135.5 percent, as against 1948. The gross production of the industry will amount to 18.3 billion crowns in terms of 1948 prices.

In order to give some idea of the assimilation and introduction of new techniques, mention may be made of the following achievements of the Czecho-slovak electrical machine building industry.

The Tesla Plant in Hloubetin has manufactured the prototype of a new machine, the "Traformat," which automatically assembles the internal parts of transformers. It can perform 60 man-hours of work in 10 seconds, and processes 4.5 tons of iron in one working day. The Skoda Electrical Engineering Plant in Pilsen has produced a new type of high-voltage breaker, the VV100/600, for APV (automatic repeated reclosing). Series production is in progress. The breaker is designed for use with 100-kilovolt networks and is operated by compressed air at 20 atmospheres.

#### BIBLIOGRAPH

- 1. Chekhoslovakiya (Czechoslovakia), published by Orbis, Prague, pp 28-39, 1947.
  - 2. Statisticka prirucka (Statistical Handbook), pp 56-59.
- 3. Chekhoslovatskiy yezhenedel'nyy ekonomicheskiy spravochnik (Czechoslovakian Weekly Economic Bulletin), No 165, 1949.
- 4. Chekhoslovatskiy yezhenedel'nyy ekonomicheskiy spravochnik, No 138, 1948.
  - 5. Rude pravo, No 241, 1947.
  - 6. Statisticky zpravodaj (Statistical Information), No 3, 1949.
  - 7. Statisticky zpravodaj, No 5-6, 1949.
  - 8. Elektricheskiye stantsii (Electric Power Stations), No 2, 1947.
- 9. Chekhoslovatskiy yezhenedel'nyy ekonomicheskiy spravochnik, No 156, 1948.
  - 10. Electrotechnicky Obzor (Electrical Engineering Review), No 6-7, 1949.
  - 11. <u>Ibid.</u>, No 4-5, 1949.
- 12. Sbornik zakonov Chekhoslovatskoy respubliki (Collections of Laws of the Czechoslovak Republic), No 90, Law No 241, 2 Nov 1948.
  - 13. Statisticky zpravodaj, No 2, 1947.
  - 14. Electrotechnik (The Electrical Engineer), No 10, 1949.

- END -

-6 - CONFIDENTIAL